Physica C 201 (1992) 433–436
North-Holland

PHYSICA C

Author Index to Volume 201

Aarts, J., see A.P. Volodin **201**, 426
Abrikosov, A.A., Tunneling conductance of the S–N layered model of HTSC **201**, 413
Abrosimov, N.V., see I.K. Bdikin **201**, 69
Adachi, S., A. Nara and H. Yamauchi, Synthesis of (Ga/Cu)(Sr/Eu)$_2$(Eu/Ce)$_2$Cu$_2$O$_y$ superconductor **201**, 403
Adrian, H., see P. Lunkenheimer **201**, 13
Aihara, K., see O.F. Schilling **201**, 397
Akimitsu, J., M. Uehara, M. Ogawa, H. Nakata, K. Tomimoto, Y. Miyazaki, H. Yamane, T. Hirai, K. Kinoshita and Y. Matsui, Superconductivity in the new compound $(Y_{1-x}Ca_x)_{0.95}Sr_{2.05}Cu_{2.4}(CO_3)_{0.6}O_y$ **201**, 320
Alexandrov, B., see I.Z. Kostadinov **201**, 126
André, M.-O., see J. Luzuriaga **201**, 257
Asano, H., see A. Yamamoto **201**, 137
Askew, T.R., see R.B. Flippen **201**, 391
Asoka Kumar, P.S., S. Mahamuni, A.S. Nigavekar and S.K. Kulkarni, Reactivity and surface modification at a Bi/$Bi_2Sr_2CaCu_2O_8$ interface **201**, 145

Bajuk, L.J., see M.C. Foote **201**, 176
Balachandran, U., see A.K. Gangopadhyay **201**, 6
Barner, J.B., see M.C. Foote **201**, 176
Bdikin, I.K., I.M. Shmyt'ko, V.Sh. Shekhtman, N.V. Abrosimov, G.A. Emel'chenko and Yu.A. Ossipyan, The use of the X-ray anomalous transmission effect in the structure investigation of high-temperature superconductors **201**, 69
Beduz, C., see Y. Yang **201**, 325
Behner, H., see W. Rauch **201**, 197
Benoit, W., see J. Luzuriaga **201**, 257
Benschop, F.J.M., H.B. Brom and W.J.A. Maaskant, A lead NMR-study of the superconductor $Pb_2Sr_{0.9}La_{1.1}Cu_2O_{6.1}$ **201**, 109
Benschop, F.J.M., see D. Reefman **201**, 119
Berberich, P., see W. Prusseit **201**, 249
Block, R., see L. Jansen **201**, 295
Boss, R.D., see T.E. Jones **201**, 279
Brändas, E.J., see C.A. Chatzidimitriou-Dreismann **201**, 340
Breuer, U., see W. Prusseit **201**, 249
Briggs, J.S., see T.E. Jones **201**, 279
Brom, H.B., see F.J.M. Benschop **201**, 109
Brom, H.B., see D. Reefman **201**, 119
Bruchlos, H., see M. Manzel **201**, 337

Cassart, M., J.P. Issi, B. Chevalier, A. Tressaud and J. Etourneau, Influence of low-temperature fluorination on the transport properties of $YBa_2Cu_3O_{7-\delta}$ **201**, 305
Chandran, L., see L. Jansen **201**, 295
Chatzidimitriou-Dreismann, C.A. and E.J. Brändas, Tunneling density of states and conductance background in the Pb–Bi–O and Cu–O high-temperature superconductors **201**, 340
Chernikov, M.A., see S. Samarappuli **201**, 159
Chevalier, B., see M. Cassart **201**, 305
Cohen, O., F.H. Potter, C.S. Rastomjee and R.G. Egdell, A core and valence level photoemission study of $Y_{1-x}Pr_xBa_2Cu_3O_7$ **201**, 58
Corsépius, S., see W. Prusseit **201**, 249
Crandles, D.A., T. Timusk, J.D. Garrett and J.E. Greedan, The midinfrared absorption in $RTiO_3$ perovskites (R = La,Ce,Pr,Nd,Sm,Gd). The Hubbard gap? **201**, 407
Czyżak, B., J. Stankowski and J. Martinek, Flux trapping in high-temperature superconductors determined by microwave absorption **201**, 379

Dascoulidou, A., M. Gálffy, C. Hohn, N. Knauf and A. Freimuth, Resistivity, Hall effect, Nernst effect and thermopower in the mixed state of Bi- and Tl-based high-T_c superconductors **201**, 202
De Groot, R.A., see D. Reefman **201**, 119
Deng, T.Z., see L.P. Ma **201**, 421
Djordjevic, Z.B. and V. Matic, Diluted chain structure of basal planes of $YBa_2Cu_3O_{6+x}$ **201**, 263

Egdell, R.G., see O. Cohen **201**, 58
Eibl, O., see W. Prusseit **201**, 249
Eick, T., see M. Manzel **201**, 337
Emel'chenko, G.A., see I.K. Bdikin **201**, 69
Etourneau, J., see M. Cassart **201**, 305

Falkovsky, I.V., see A.P. Volodin **201**, 426
Fang, M.M., see M. Lee **201**, 95
Felner, I., see D. Hechel **201**, 75
Fistul', M.V., see A.P. Volodin **201**, 426
Flippen, R.B., T.R. Askew and M.S. Osofsky, χ'' peak measurements in HTSC single crystals **201**, 391
Foote, M.C., B.B. Jones, B.D. Hunt, J.B. Barner, R.P. Vasquez and L.J. Bajuk, Composition variations in pulsed-laser-deposited Y–Ba–Cu–O thin films as a function of deposition parameters **201**, 176
Fournier, T., see P. Strobel **201**, 27
Freimuth, A., see A. Dascoulidou **201**, 202
Fuchs, J., see M. Manzel **201**, 337
Fueki, K., see Y. Idemoto **201**, 43
Fukuoka, K., see Y. Sakaguchi **201**, 183

Gálffy, M., see A. Dascoulidou **201**, 202
Gangopadhyay, A.K., U. Balachandran and R.B. Poeppel, Flux pinning and irreversibility temperature in melt-grown,

quench-melt-grown, and sintered $YBa_2Cu_3O_{6+y}$ superconductors **201**, 6
Garrett, J.D., see D.A. Crandles **201**, 407
Genoud, J.-Y., see G. Triscone **201**, 1
Glad, W.E., see T.E. Jones **201**, 279
Gornik, E., see W. Rauch **201**, 197
Graf, T., see G. Triscone **201**, 1
Greedan, J.E., see D.A. Crandles **201**, 407

Halperin, W.P., see M. Lee **201**, 95
Hartford Jr., E.H., see E.S. Hellman **201**, 166
Hashimoto, Y., see I. Matsubara **201**, 83
Hechel, D. and I. Felner, Mössbauer studies of the antiferromagnetic $Sr_2CuCl_2O_2$ and $Ca_{0.85}Sr_{0.15}CuO_2$ materials **201**, 75
Hellman, E.S., S. Martin, E.H. Hartford Jr., D.J. Werder, G.M. Roesler Jr. and P.M. Tedrow, $Ba_{1-x}K_xBiO_3$ sandwich-type tunnel junctions grown by molecular beam epitaxy **201**, 166
Hervieu, M., see C. Martin **201**, 362
Hikata, T., see T. Matsushita **201**, 151
Hirai, T., see J. Akimitsu **201**, 320
Hirsch, J.E., Superconductors that change color when they become superconducting **201**, 347
Ho, J.C., see G.H. Hwang **201**, 171
Hohn, C., see A. Dascoulidou **201**, 202
Hunt, B.D., see M.C. Foote **201**, 176
Huvé, M., see C. Martin **201**, 362
Hwang, G.H., J.H. Shieh, J.C. Ho and H.C. Ku, Calorimetric study of copper ordering in the T′ (214) system **201**, 171

Idemoto, Y., Y. Iwata and K. Fueki, Oxygen content and T_c of $Ba_{0.6}K_{0.4}BiO_{3-\delta}$ **201**, 43
Ikeda, R., Angular dependence of resistive transition in strongly anisotropic superconductors under magnetic field **201**, 386
Ishigaki, T., see A. Yamamoto **201**, 137
Issi, J.P., see M. Cassart **201**, 305
Iwata, Y., see Y. Idemoto **201**, 43
Izumi, F., see A. Yamamoto **201**, 137

Jacobs, E.W., see T.E. Jones **201**, 279
Jaekel, C., see W. Prusseit **201**, 249
Jansen, L., L. Chandran and R. Block, On the relationship between doping, critical temperatures and pressure gradients of T_c in high-T_c cuprates. The double role of oxygen **201**, 295
Jayaram, B. and S.H. Liou, Magnetic and transport properties of Nd–Ce–Cu–M–O (M=Fe, Ni, Zn) in the normal state **201**, 189
Jha, S.S., see M.R. Press **201**, 21
Jones, B.B., see M.C. Foote **201**, 176
Jones, T.E., W.C. McGinnis, E.W. Jacobs, R.D. Boss, P.M. Thibado, J.S. Briggs and W.E. Glad, Effect of silver additions on sintered $Bi_2Sr_2CaCu_2O_8$ **201**, 279
Junod, A., see G. Triscone **201**, 1

Kataoka, M., O. Wada, J. Tanimura, T. Ogama, K. Kuroda, T. Takami and K. Kojima, In-plane orientation and coincidence site lattice relation of (001) $Bi_2Sr_2CaCu_2O_x$ formed on (001) MgO **201**, 131
Kawai, T., see I. Matsubara **201**, 83
Kennard, M.A., see M. Lee **201**, 95
Kikuchi, M., see Y. Sakaguchi **201**, 183
Kinder, H., see W. Prusseit **201**, 249
Kinoshita, K., see J. Akimitsu **201**, 320
Kinoshita, M., see I. Matsubara **201**, 83
Kiuchi, M., see T. Matsushita **201**, 151
Kley, B., see M. Manzel **201**, 337
Klinger, M., see M. Manzel **201**, 337
Knauf, N., see A. Dascoulidou **201**, 202
Kobayashi, N., see Y. Sakaguchi **201**, 183
Kojima, K., see M. Kataoka **201**, 131
Kondo, W., see T. Manabe **201**, 103
Kostadinov, I.Z. and B. Alexandrov, Lifshitz correlation in the hopping conductivity of high temperature superconductors in the localized state **201**, 126
Ku, H.C., see G.H. Hwang **201**, 171
Kulkarni, S.K., see P.S. Asoka Kumar **201**, 145
Kumagai, T., see T. Manabe **201**, 103
Kuroda, K., see M. Kataoka **201**, 131
Kurz, H., see W. Prusseit **201**, 249

Lee, M., N. Tea, Y.-Q. Song, W.P. Halperin, J. Thiel, M.A. Kennard, K.R. Poeppelmeier, M.M. Fang and U. Welp, Magnetic susceptibility anisotropy of grain-aligned oxygen-deficient $Y_1Ba_2Cu_3O_x$ ($6.46 \leqslant x \leqslant 6.98$) **201**, 95
Levin, K., see Y. Zha **201**, 289
Liou, S.H., see B. Jayaram **201**, 189
Loidl, A., see P. Lunkenheimer **201**, 13
Lowe-Ma, C.K. and T.A. Vanderah, In search of chemical clues. Single-crystal structural studies of $PrBa_2Cu_3O_6$ and $PrBa_2Cu_3O_7$ **201**, 233
Lunkenheimer, P., A. Loidl, C. Tomé-Rosa and H. Adrian, Frequency dependent conductivity in $YBa_2(Cu_{1-x}Zn_x)_3O_7$ thin films **201**, 13
Luzuriaga, J., M.-O. André and W. Benoit, Frequency and amplitude response of the flux-line lattice to mechanical perturbation in ceramic $YBa_2Cu_3O_7$ **201**, 257

Ma, L.P. and T.Z. Deng, Ultrasonic investigation on high-T_c superconductor $CaLaBaCu_3O_{7-y}$ **201**, 421
Maaskant, W.J.A., see F.J.M. Benschop **201**, 109
Mahamuni, S., see P.S. Asoka Kumar **201**, 145
Maignan, A., see C. Martin **201**, 362
Manabe, T., W. Kondo, S. Mizuta and T. Kumagai, Preparation of [110] oriented $Ba_2YCu_3O_{7-y}$–Ag films on $SrTiO_3$ (110) by the dipping-pyrolysis process **201**, 103
Manzel, M., H. Bruchlos, E. Steinbeiss, T. Eick, M. Klinger, J. Fuchs and B. Kley, TlBaCaCuO-films for passive microwave devices **201**, 337
Martin, C., M. Huvé, M. Hervieu, A. Maignan, C. Michel and B. Raveau, A 116 K superconductor with the "1223" structure: $TlBaSrCa_2Cu_3O_{9-\delta}$ **201**, 362

Martin, S., see E.S. Hellman **201**, 166
Martinek, J., see B. Czyżak **201**, 379
Matic, V., see Z.B. Djordjevic **201**, 263
Matsubara, I., T. Ogura, H. Yamashita, M. Kinoshita, Y. Hashimoto and T. Kawai, Effects of Li doping on the superconducting properties of Bi-based superconducting whiskers **201**, 83
Matsuda, S., see O.F. Schilling **201**, 397
Matsui, Y., see J. Akimitsu **201**, 320
Matsushita, T., E.S. Otabe, M. Kiuchi, B. Ni, T. Hikata and K. Sato, Irreversibility line in superconducting Bi-2223 tape wires with silver sheath **201**, 151
McGinnis, W.C., see T.E. Jones **201**, 279
Michel, C., see C. Martin **201**, 362
Miyazaki, Y., see J. Akimitsu **201**, 320
Mizuta, S., see T. Manabe **201**, 103
Monnereau, O., see P. Strobel **201**, 27
Morin, D., see P. Strobel **201**, 27
Morishita, T., see H. Takahashi **201**, 273
Mulder, F.M. and R.C. Thiel, ^{121}Sb Mössbauer measurements on $BaPb_{1-x}Sb_xO_3$ below the superconducting transition temperature **201**, 80
Muller, J., see G. Triscone **201**, 1

Nakata, H., see J. Akimitsu **201**, 320
Nara, A., see S. Adachi **201**, 403
Ni, B., see T. Matsushita **201**, 151
Nigavekar, A.S., see P.S. Asoka Kumar **201**, 145

Ogama, T., see M. Kataoka **201**, 131
Ogawa, M., see J. Akimitsu **201**, 320
Ogborne, D.M. and M.T. Weller, The structure of $Tl_2Ba_2Ba_3Cu_4O_{12}$ **201**, 53
Ogura, T., see I. Matsubara **201**, 83
Ohata, K., see H. Takahashi **201**, 273
Osofsky, M.S., see R.B. Flippen **201**, 391
Ossipyan, Yu.A., see I.K. Bdikin **201**, 69
Otabe, E.S., see T. Matsushita **201**, 151
Ott, H.R., see S. Samarappuli **201**, 159

Poeppel, R.B., see A.K. Gangopadhyay **201**, 6
Poeppelmeier, K.R., see M. Lee **201**, 95
Potter, F.H., see O. Cohen **201**, 58
Press, M.R. and S.S. Jha, Anomalous normal state electronic Raman scattering continuum in YBCO. Inadequacy of frequency-dependent collision-rate models **201**, 21
Primot, J., see P. Strobel **201**, 27
Prusseit, W., S. Corsépius, M. Zwerger, P. Berberich, H. Kinder, O. Eibl, C. Jaekel, U. Breuer and H. Kurz, Epitaxial $YBa_2Cu_3O_{7-\delta}$ films on silicon using combined YSZ/Y_2O_3 buffer layers. A comprehensive study **201**, 249

Rastomjee, C.S., see O. Cohen **201**, 58
Rauch, W., H. Behner and E. Gornik, Investigation of the critical state of sputtered $YBa_2Cu_3O_{7-x}$ thin films using a Hall probe **201**, 197
Raveau, B., see C. Martin **201**, 362
Reefman, D., F.J.M. Benschop, H.B. Brom, R.A. de Groot and J.M. van Ruitenbeek, Electronic structure and properties of the superconductor $Pb_2Sr_xLa_{2-x}Cu_2O_{6+\delta}$ **201**, 119
Roesler Jr., G.M., see E.S. Hellman **201**, 166

Sakaguchi, Y., M. Kikuchi, N. Kobayashi, K. Fukuoka and Y. Syono, Shock-loading effects on flux pinning of the high-T_c superconductor $La_{1.85}Sr_{0.15}CuO_4$ **201**, 183
Salama, K., see D.W.A. Willén **201**, 311
Samarappuli, S., A. Schilling, M.A. Chernikov, H.R. Ott and Th. Wolf, Comparative study of AC susceptibility and resistivity of a superconducting $YBa_2Cu_3O_7$ single crystal in a magnetic field **201**, 159
Sato, K., see T. Matsushita **201**, 151
Schilling, A., see S. Samarappuli **201**, 159
Schilling, O.F., K. Aihara and S. Matsuda, On the interpretation of voltage versus current data for high-temperature superconductors in terms of distribution of intergrain critical current densities **201**, 397
Schneck, J., see P. Strobel **201**, 27
Scurlock, R.G., see Y. Yang **201**, 325
Shekhtman, V.Sh., see I.K. Bdikin **201**, 69
Shieh, J.H., see G.H. Hwang **201**, 171
Shmyt'ko, I.M., see I.K. Bdikin **201**, 69
Si, Q., see Y. Zha **201**, 289
Song, Y.-Q., see M. Lee **201**, 95
Stankowski, J., see B. Czyżak **201**, 379
Steinbeiss, E., see M. Manzel **201**, 337
Strobel, P., J.C. Tolédano, D. Morin, J. Schneck, G. Vacquier, O. Monnereau, J. Primot and T. Fournier, Phase diagram of the system $Bi_{1.6}Pb_{0.4}Sr_2CuO_6$–$CaCuO_2$ between 825°C and 1100°C **201**, 27
Sudbø, A., Vortex structures in anisotropic superconductors at low inductions **201**, 369
Syono, Y., see Y. Sakaguchi **201**, 183

Takahashi, H., K. Ohata and T. Morishita, Crystal structures at the interface between *a*-axis oriented $YBa_2Cu_3O_{7-x}$ films and $LaAlO_3(001)$ and $SrTiO_3(001)$ substrates **201**, 273
Takami, T., see M. Kataoka **201**, 131
Takayama-Muromachi, E., see A. Yamamoto **201**, 137
Tanimura, J., see M. Kataoka **201**, 131
Tea, N., see M. Lee **201**, 95
Tedrow, P.M., see E.S. Hellman **201**, 166
Thibado, P.M., see T.E. Jones **201**, 279
Thiel, J., see M. Lee **201**, 95
Thiel, R.C., see F.M. Mulder **201**, 80
Timusk, T., see D.A. Crandles **201**, 407
Tolédano, J.C., see P. Strobel **201**, 27
Tomé-Rosa, C., see P. Lunkenheimer **201**, 13
Tomimoto, K., see J. Akimitsu **201**, 320
Tressaud, A., see M. Cassart **201**, 305
Triscone, G., J.-Y. Genoud, T. Graf, A. Junod and J. Muller, Normal-state susceptibility versus oxygen content in the $Y_2Ba_4Cu_7O_x$ superconducting phase **201**, 1

Uehara, M., see J. Akimitsu **201**, 320

Vacquier, G., see P. Strobel **201**, 27
Vanderah, T.A., see C.K. Lowe-Ma **201**, 233
Van Ruitenbeek, J.M., see D. Reefman **201**, 119
Vasquez, R.P., see M.C. Foote **201**, 176
Volodin, A.P., J. Aarts, I.V. Falkovsky and M.V. Fistul', Sharp anomalies in the point-contact spectra of $Bi_2Sr_2CaCu_2O_x$ investigated with an adjustable point contact **201**, 426

Wada, O., see M. Kataoka **201**, 131
Wang, X.H., J. Xin and X.X. Yao, Intrinsic flux noise of high-T_c RF-SQUID in the dissipative mode **201**, 50
Weller, M.T., see D.M. Ogborne **201**, 53
Welp, U., see M. Lee **201**, 95
Werder, D.J., see E.S. Hellman **201**, 166
Willén, D.W.A. and K. Salama, A method to control grain-boundary properties in melt-textured $YBa_2Cu_3O_{7-x}$ superconductors **201**, 311
Wolf, Th., see S. Samarappuli **201**, 159

Xin, J., see X.H. Wang **201**, 50

Yamamoto, A., E. Takayama-Muromachi, F. Izumi, T. Ishigaki and H. Asano, Rietveld analysis of the composite crystal in superconducting $Bi_{2+x}Sr_{2-x}CuO_{6+y}$ **201**, 137
Yamane, H., see J. Akimitsu **201**, 320
Yamashita, H., see I. Matsubara **201**, 83
Yamauchi, H., see S. Adachi **201**, 403
Yang, Y., C. Beduz, Z. Yi and R.G. Scurlock, AC susceptibility of high-T_c superconductors. Hysteresis and intergranular critical state **201**, 325
Yao, X.X., see X.H. Wang **201**, 50
Yi, Z., see Y. Yang **201**, 325

Zha, Y., Q. Si and K. Levin, Theory of spin dynamics in $YBa_2Cu_3O_{7-\delta}$. Fermiology effects **201**, 289
Zwerger, M., see W. Prusseit **201**, 249

Physica C 201 (1992) 437
North-Holland

PHYSICA C

Analytic Subject Index to Volume 201

AC susceptibility 159, 325, 337, 391
Anisotropic London theory 369
Anisotropic superconductor 202, 369, 386
Antiferromagnetic order 75
–in $(Gd_{1.85}Ce_{0.15})CuO_{4-\delta}$ 171
Applications of high-T_c superconductors 145, 151, 337

Band structure 21, 58, 119
Bismuth valence 43
Bond-valence sums 233

Charge transfer 263
Coherence peak 13
Complex conductivity 347
Conductance background 340
Critical current density 6, 166, 183, 197, 279, 311, 397
Critical state model 197, 325, 391
Cu–O planes 145

Debye temperature 421
Defect levels 126
Defect structures 69, 249
Density of states 340

Electrical resistivity 13, 43, 126, 159, 189, 202, 305, 397, 403
Electronic structure 80, 413
–of $Pb_2Sr_xLa_{2-x}Cu_2O_{6+\delta}$ 119
–of $YBa_2Cu_3O_{7-\delta}$ 289
Electron–phonon coupling 305
Energy gap 413, 426
Exchange-mediated pairing 295

Fermi surface 289
Fluctuation effects 1, 386
Flux lattice 257, 369
Flux pinning 6, 151, 183, 257, 379

Grain alignment 95, 103, 131, 273
Grain boundaries 131, 311, 397
Granular superconductivity 279, 325, 379, 421

Hall effect 202
High pressure effect 295
Hopping conductivity 126
HREM 320, 362
Hubbard Hamiltonian 407

Intrinsic flux noise 50
Irreversibility line 6, 151, 159

Knight shift 109

Lattice parameters 43

Magnetic susceptibility 171
–of Nd–Ce–Cu–M–O (M=Fe,Ni,Zn) 189
–of $Y_1Ba_2Cu_3O_x$ 95
–of $Y_2Ba_4Cu_7O_x$ 1
Magnetization 43, 197, 320
Magnetoresistance 189, 202, 386
Metal–insulator transition 58, 407
Microwave absorption 379
Mixed state 202
Modulated structures 137
Mössbauer spectroscopy
–of $BaPb_{1-x}Sb_xO_3$ 80
–of $Ca_{0.85}Sr_{0.15}CuO_2$ 75
–of $Sr_2CuCl_2O_2$ 75
Multilayers 249

Neutron scattering 137
NMR 109, 119
Normal-state properties 1, 13, 21, 95, 189

Optical spectroscopy 347, 407
Oxygen ordering 263
Oxygen stoichiometry 43

Pairing interaction 347
Phase diagram 263
–of $Bi_{1.6}Pb_{0.4}Sr_2CuO_6$–$CaCuO_2$ 27
Photoemission spectroscopy 289
–of $Y_{1-x}Pr_xBa_2Cu_3O_7$ 58
Point-contact spectroscopy 426
Polar domains 69
Pulsed-laser deposition 176

Raman scattering 21, 413

Scanning electron microscopy 249
Scattering theory 340
Silver additions 279
Single-crystal growth 83
Specific heat 171, 386
Spin fluctuations 171
Spin-lattice relaxation time T_1 109
SQUID 50
STM 426
Structure
–of $Bi_{1.6}Pb_{0.4}Sr_2CuO_6$–$CaCuO_2$ 27
–of $Bi_{2+x}Sr_{2-x}CuO_{6+y}$ 137
–of $Bi_2Sr_2CaCu_2O_8$ 279
–of $Ca_{0.85}Sr_{0.15}CuO_2$ 75
–of $(Ga/Cu)(Sr/Eu)_2(Eu/Ce)_2Cu_2O_y$ 403
–of $PrBa_2Cu_3O_6$ 233
–of $PrBa_2Cu_3O_7$ 233
–of $Sr_2CuCl_2O_2$ 75
–of $Tl_2Ba_2Ca_3Cu_4O_{12}$ 53
–of $TlBaSrCa_2Cu_3O_{9-\delta}$ 362
–of $(Y1-xCa_x)_{0.95}Sr_{2.05}Cu_{2.4}(CO_3)_{0.6}O_y$ 320
Substitution effects 83, 295
–in $BaPb_{1-x}Sb_xO_3$ 80
Surface impedance 337
Synthesis
–of $Ba_{0.6}K_{0.4}BiO_{3-\delta}$ 43
–of $Ba_2YCu_3O_{7-y}$–Ag 103
–of $Bi_{1.6}Pb_{0.4}Sr_2CuO_6$–$CaCuO_2$ 27
–of $(Ga/Cu)(Sr/Eu)_2(Eu/Ce)_2Cu_2O_y$ 403
–of $La_{1.85}Sr_{0.15}CuO_4$ 183
–of $TlBaSrCa_2Cu_3O_{9-\delta}$ 362
–of $YBa_2Cu_3O_{7-x}$ 311
–of Y–Ba–Cu–O 176

Thermal conductivity 305
Thermoelectric effects 202
Thermoelectric power 305
Thin films 13, 103, 131, 166, 176, 197, 249, 273, 337
Torque magnetometry 257
Transmission electron microscopy 273
Tunneling 166, 340, 413

Ultrasonic attenuation 421

Weak links 279
Whiskers 83

XPS 145
X-ray anomalous transmission effect 69
X-ray diffraction 53, 69, 131, 137, 183, 233

Physica C 201 (1992) 439
North-Holland

PHYSICA C

Materials Index to Volume 201

$Ba_{0.6}K_{0.4}BiO_{3-\delta}$
–synthesis 43
$Ba_2YCu_3O_{7-y}$–Ag
–synthesis 103
$BaPb_{1-x}Sb_xO_3$
–Mössbauer spectroscopy 80
–substitution effects 80
$Bi_{1.6}Pb_{0.4}Sr_2CuO_6$–$CaCuO_2$
–phase diagram 27
–structure 27
–synthesis 27
$Bi_{2+x}Sr_{2-x}CuO_{6+y}$
–structure 137
$Bi_2Sr_2CaCu_2O_8$
–structure 279

$Ca_{0.85}Sr_{0.15}CuO_2$
–Mössbauer spectroscopy 75
–structure 75

$(Ga/Cu)(Sr/Eu)_2(Eu/Ce)_2Cu_2O_y$
–structure 403
–synthesis 403
$(Gd_{1.85}Ce_{0.15})CuO_{4-\delta}$
–antiferromagnetic order 171

$La_{1.85}Sr_{0.15}CuO_4$
–synthesis 183

Nd–Ce–Cu–M–O
–magnetic susceptibility 189

$Pb_2Sr_xLa_{2-x}Cu_2O_{6+\delta}$
–electronic structure 119
$PrBa_2Cu_3O_6$
–structure 233
$PrBa_2Cu_3O_7$
–structure 233

$Sr_2CuCl_2O_2$
–Mössbauer spectroscopy 75
–structure 75

$Tl_2Ba_2Ca_3Cu_4O_{12}$
–structure 53
$TlBaSrCa_2Cu_3O_{9-\delta}$
–structure 362
–synthesis 362

$Y_1Ba_2Cu_3O_x$
–magnetic susceptibility 95
$(Y1-xCa_x)_{0.95}Sr_{2.05}Cu_{2.4}(CO_3)_{0.6}O_y$
–structure 320
$Y_{1-x}Pr_xBa_2Cu_3O_7$
–photoemission spectroscopy 58
$Y_2Ba_4Cu_7O_x$
–magnetic susceptibility 1
$YBa_2Cu_3O_{7-\delta}$
–electronic structure 289
$YBa_2Cu_3O_{7-x}$
–synthesis 311
Y–Ba–Cu–O
–synthesis 176